


Tame Power HMI

Installation manual



Tame Power HMI Installation Manual

Publisher

TRONICO 26 rue du Bocage  
85660 St-Philbert-de-Bouaine - France  
Phone +33 (0)2 51 41 91 35  
[tronico-alcen.com](http://tronico-alcen.com)  
[tronico@tronico-alcen.com](mailto:tronico@tronico-alcen.com)

TABLE OF CONTENTS

1	INSTALLATION .....	4
1.1	FIRST INSTALLATION.....	4
1.2	VERSION UPDATE .....	4
2	RELEASE NOTE.....	5

## 1 INSTALLATION

Application is compatible with Windows 10 only.

### 1.1 First installation

Before installing setup, the following components shall be installed:

- USB CAN NI-8473 Probe driver: <https://www.ni.com/fr-fr/support/downloads/drivers/download.ni-can.html#344641>. Execute NICAN1850.exe and keep default configuration during installation process.
- PCAN-USB probe from peak-system: <https://www.peak-system.com/PCAN-USB.199.0.html?&L=2>. Execute PeakOemDrv.exe and keep default configuration during installation process.

Then install HMI by executing Tame Power HMI Setup.exe and follow instructions.

### 1.2 Version Update

Install HMI by executing Tame Power HMI Setup.exe and follow instructions. Installation will replace the previous one.

2 RELEASE NOTE

Release	Description
v1	First version